



Index to Sources of Geologic Mapping

See Map Sources on next page for complete references.

Map Sources

Number	Reference
1	Armstrong, R.L., J.F. Smith, Jr., H.R. Covington, and P.L. Williams, 1978, Preliminary geologic map of the west half of the Pocatello 1° by 2° quadrangle, Idaho: U.S. Geological Survey Open-File Report 78-833, scale 1:250,000.
2	Blake, D.E., 1991, Geology of the western Idaho suture zone in the Salmon River gorge, west-central Idaho: Washington State University Ph.D. dissertation, 329 p.
3	Bond, J.G., 1978, Geologic map of Idaho: Idaho Geological Survey Geologic Map 1, scale 1:500,000.
4	Bond, J.G., J.D. Kauffman, W.C. Rember, and D.J. Shivler, 1983, Weiser basin evaluation: unpublished report by Geoscience Research Consultants, 128p, scale 1:250,000.
5	Bonnichsen, Bill, and M.M. Godchaux, 2006, Geologic map of the Murphy 30 x 60 minute quadrangle, Ada, Canyon, Elmore, and Owyhee counties, Idaho: Idaho Geological Survey Digital Web Map 80, scale 1:100,000.
6	Breckenridge, R.M., and K.L. Othberg, 2006, Surficial geologic map of the Wood River Valley area, Blaine County, Idaho: Idaho Geological Survey Digital Web Map 54, scale 1:50,000.
7	Breckenridge, R.M., and K.L. Othberg, 2006, Surficial geologic map of Long Valley, Valley County, Idaho: Idaho Geological Survey Digital Web Map 68, scale 1:50,000.
8	Christiansen, R.L., and R.R. Wahl, 1999, Digital geologic map of Yellowstone National Park, Idaho, Montana, and Wyoming and vicinity: U.S. Geological Survey Open-File Report 99-174, scale 1:100,000.
9	Christiansen, R.L., 2001, The Quaternary and Pliocene Yellowstone Plateau volcanic field of Wyoming, Idaho, and Montana: U.S. Geological Survey Professional Paper 729-G, 3 plates, 120 p.
10	Clemens, D.M., 1990, Volcanic stratigraphy and geochemistry of Timber Butte, Valley and Gem counties, west-central Idaho: Boise State University B.S. thesis, 23 p., scale 1:14,667 (approx.).
11	Cooley, S.W. and J.L. Pederson, 2010, Surficial geology of the Oneida Narrows area, Caribou and Franklin Counties, Idaho: Unpublished mapping.
12	Ekren, E.B., D.H. McIntyre, E.H. Bennett, and H.E. Malde, 1981, Geologic map of Owyhee County, Idaho, west of longitude 116° W: U.S. Geological Survey Miscellaneous Investigations Series Map I-1256, scale 1:125,000.
13	Evans, K.V., and G.N. Green, 2003, Geologic map of the Salmon National Forest and vicinity, east-central Idaho: U.S. Geological Survey Geologic Investigations Series Map I-2765, 19 p., scale 1:100,000.
14	Fisher, F.S., D.H. McIntyre, and K.M. Johnson, 1992, Geologic map of the Challis 1° x 2° quadrangle, Idaho: U.S. Geological Survey Miscellaneous Investigations Series I-1819, 39p., scale 1:250,000.
15	Fitzgerald, J.F., 1982, Geology and basalt stratigraphy of the Weiser embayment, west-central Idaho, in Bill Bonnichsen and R.M. Breckenridge, eds., Cenozoic Geology of Idaho: Idaho Geological Survey Bulletin 26, p. 103-128.
16	Foord, E.E., M.J. Luessen, D.S. Hovorka, J.L. Plesha, V.J. Grauch, Harlan Barton, H.D. King, D.O. Capstick, R.T. Mayerle, A.R. Buehler, and P.N. Gabby, 1987, Mineral resources of the Owyhee Canyon and South Fork Owyhee River wilderness study areas, Elko County, Nevada, and Owyhee County, Idaho: U.S. Geological Survey Bulletin 1719-F, 15 p., scale 1:50,000.
17	Gray, K.D., and J.S. Oldow, 2005, Contrasting structural histories of the Salmon River belt and Wallowa terrane: Implications for terrane accretion in northeastern Oregon and west-central Idaho: Geological Society of America Bulletin, v. 117, no. 5/6, p. 687-706.
18	Gualtieri, J.L., and G.C. Simmons, 2007, Reconnaissance geologic map of the Hells Canyon study area, Wallowa County, Oregon, and Idaho and Adams counties, Idaho: U.S. Geological Survey Scientific Investigations Report 2007-5076, scale 1:48,000.
19	Hladky, F.R., K.S. Kellogg, S.S. Oriel, P.K. Link, J.W. Nielson, and R.E. Amerman, 1992, Geologic map of the eastern part of the Fort Hall Indian Reservation, Bannock, Bingham, and Caribou Counties, Idaho: U.S. Geological Survey, Miscellaneous Investigations Series Map I-2006, scale 1:50,000.

20	Howard, K.A., J.W. Shervais, and E.H. McKee, 1982, Canyon-filling lavas and lava dams on the Boise River, Idaho, and their significance for evaluating downcutting during the last two million years, in Bill Bonnicksen and R.M. Breckenridge, eds., Cenozoic Geology of Idaho: Idaho Geological Survey Bulletin 26, p. 103-128.
21	Howard, K.A., and J.W. Shervais, 1973, Geologic map of Smith Prairie, Elmore County, Idaho: U.S. Geological Survey Miscellaneous Investigations Map I-818, scale 1:24,000.
22	Hurlow, H.A., 2004, Interim geologic map of the Curlew Valley drainage basin, Box Elder County, Utah, and Cassia and Oneida Counties, Idaho: Utah Geological Survey Open-File Report 436, 28 p., scale 1:100,000.
23	Janecke, S.U., J.J. Blankenau, C.J. VanDenburg, and B.S. Van Gosen, 2001, Map of normal faults and extensional folds in the Tendoy Mountains and Beaverhead Range, southwest Montana and eastern Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-2362, scale 1:100,000.
24	Jenks, M.D., Bill Bonnicksen, and M.M. Godchaux, 1998, Geologic map of the Grand View-Bruneau area, Owyhee County, Idaho: Idaho Geological Survey Technical Report 98-1, scale 1:100,000.
25	Kauffman, J.D., K.L. Othberg, V.S. Gillerman, and D.L. Garwood, 2005, Geologic map of the Twin Falls 30 X 60 minute quadrangle, Idaho: Idaho Geological Survey Digital Web Map 43, scale 1:100,000.
26	Kauffman, J.D., D.L. Garwood, K.L. Schmidt, R.S. Lewis, K.L. Othberg, and W.M. Phillips, 2009, Geologic map of the Idaho parts of the Orofino and Clarkston 30 x 60 minute quadrangles, Idaho: Idaho Geological Survey Geologic Map 48, 36 p., scale 1:100,000.
27	Kiilsgaard, T.H., T.M. Scanlan, and D.E. Stewart, 1997, Geology of the Boise Basin vicinity, Boise, Ada, and Elmore counties, Idaho: Idaho Geological Survey Map 7, scale 1:50,000.
28	Kiilsgaard, T.H., L.R. Stanford, and R.S. Lewis, 2001, Geologic map of the Idaho City 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 29, scale 1:100,000.
29	Kiilsgaard, T.H., T.M. Scanlan, and D.E. Stewart 2006, Geologic map of the Deadwood River 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 45, scale 1:100,000.
30	Kuntz, M.A., Unpublished geologic map of the Circular Butte 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey, scale 1:100,000.
31	Kuntz, M.A., J.K. Geslin, L.E. Mark, M.K.V. Hodges, M.E. Kauffman, D.E. Champion, M.R. Lanphere, D.W. Rodgers, M.H. Anders, P.K. Link, and D.L. Boyack, 2003, Geologic map of the northern and central parts of the Idaho National Engineering and Environmental Laboratory, eastern Idaho: Idaho Geological Survey Geologic Map 35, scale 1:50,000.
32	Kuntz, M.A., Betty Skipp, D.E. Champion, P.B. Gans, D.P. Van Sistine, and S.R. Snyders, 2007, Geologic map of the Craters of the Moon 30' x 60' quadrangle, Idaho: U.S. Geological Survey Scientific Investigations Map SIM-2969, 64 p., scale 1:100,000.
33	Lewis, R.S., and P.D. Derkey, 1999, Digital geologic map of part of the Thompson Falls 1:100,000 quadrangle, Idaho: U.S. Geological Survey Open-File Report 99-438, scale 1:100,000.
34	Lewis, R.S., R.F. Burmester, E.H. Bennett, and D.L. White, 1990, Preliminary geologic map of the Elk City region, Idaho County, Idaho: Idaho Geological Survey Technical Report 90-2, scale 1:100,000.
35	Lewis, R.S., R.F. Burmester, M.D. McFaddan, P.D. Derkey, and J.R. Oblad, 1999, Digital geologic map of the Wallace 1:100,000 quadrangle, Idaho: U.S. Geological Survey Open-File Report 99-390, scale 1:100,000.
36	Lewis, R.S., R.F. Burmester, J.D. Kauffman, and T.P. Frost, 2001, Geologic map of the St. Maries 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 28, scale 1:100,000.
37	Lewis, R.S., R.F. Burmester, R.M. Breckenridge, M.D. McFaddan, and J.D. Kauffman, 2002, Geologic map of the Coeur d'Alene 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 33, scale 1:100,000.
38	Lewis, R.S., J.H. Bush, R.F. Burmester, J.D. Kauffman, D.L. Garwood, P.E. Myers, and K.L. Othberg, 2005, Geologic map of the Potlatch 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 41, 30 p., scale 1:100,000.
39	Lewis, R.S., R.F. Burmester, M.D. McFaddan, J.D. Kauffman, P.T. Doughty, W.L. Oakley, and T.P. Frost, 2007b, Geologic map of the Headquarters 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Digital Web Map 92, scale 1:100,000.

40	Lewis, R.S., R.F. Burmester, J.D. Kauffman, R.M. Breckenridge, K.L. Schmidt, M.D. McFaddan, and P.E. Myers, 2007a, Geologic map of the Kooskia 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Digital Web Map 93, scale 1:100,000.
41	Lewis, R.S., R.F. Burmester, R.M. Breckenridge, M.D. McFaddan, and W.M. Phillips, 2008, Preliminary geologic map of the Sandpoint 30 x 60 minute quadrangle, Idaho and Montana, and the Idaho part of the Chewelah 30 x 60 minute quadrangle: Idaho Geological Survey Digital Web Map 94, scale 1:100,000.
42	Lewis, R.S., and L.R. Stanford 2002d, Digital geologic map compilation of the western half of the Nez Perce Pass 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Digital Geologic Map 4, scale 1:100,000.
43	Lewis, R.S., and L.R. Stanford, 2002a, Digital geologic map compilation of the Elk City 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Digital Geologic Map 5, scale 1:100,000.
44	Lewis, R.S., and L.R. Stanford 2002b, Geologic map compilation of the Hamilton 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 32, scale 1:100,000.
45	Lewis, R.S., and L.R. Stanford 2002c, Geologic map compilation of the Missoula West 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Geologic Map 34, scale 1:100,000.
46	Link, P.K., and S.U. Janecke, 1999, Geology of east-central Idaho: Geologic roadlogs for the Big and Little Lost River, Lemhi, and Salmon River valleys, in S.S. Hughes and G.D. Thackray, eds., Guidebook to the Geology of Eastern Idaho: Idaho Museum of Natural History, Pocatello, Idaho, p. 295-334.
47	Link, P.K., J.B. Mahoney, D.J. Bruner, L.D. Batatian, Eric Wilson, and F.J.C. Williams, 1995, Geologic map of outcrop areas of sedimentary units in the eastern part of the Hailey 1° x 2° quadrangle and part of the southern part of the Challis 1° x 2° quadrangle, south-central Idaho: U.S. Geological Survey Bulletin 2064-C, plate 1, scale 1:100,000.
48	Link, P.K., and L.R. Stanford, 1999, Geologic Map Compilation of the Pocatello 30 x 60 Minute Quadrangle, Idaho: Idaho Geological Survey Technical Report 99-2, scale 1:100,000.
49	Long, S.P., and P.K. Link, 2007, Geologic map compilation of the Malad City 30 x 60 minute quadrangle, Idaho: Idaho Geological Survey Technical Report 07-1, scale 1:100,000.
50	Lund, Karen, 2004, Geology of the Payette National Forest and vicinity, west-central Idaho: U.S. Geological Survey Professional Paper 1666, scale 1:1,000,000.
51	Lund, Karen, W.M. Rehn, and C.D. Holloway, 1983, Geologic map of the Blue Joint wilderness study area, Ravalli County, Montana, and the Blue Joint roadless area, Lemhi County, Idaho: U.S. Geological Survey Miscellaneous Field Studies MF-1557-B, scale 1:50,000.
52	Lund, Karen, W.F. McCollough, and E.H. Price, 1993, Geologic map of the Slate Creek-John Day area, Idaho County, Idaho: U.S. Geological Survey Miscellaneous Investigations Series Map I-2299, scale 1:50,000.
53	Malde, H.E., H.A. Powers, and C.H. Marshall, 1963, Reconnaissance geologic map of west-central Snake River Plain, Idaho, U.S. Geological Survey Miscellaneous Geologic Investigations Map I-373, scale 1:250,000.
54	Manduca, C.A., M.A. Kuntz, and L.T. Silver, 1993, Emplacement and deformation history of the western margin of the Idaho batholith near McCall, Idaho: Influence of a major terrane boundary: Geological Society of America Bulletin, v. 105, no. 6, p. 749-76.
55	Mansfield, G.R., 1929, Geography, geology, and mineral resources of the Portneuf quadrangle, Idaho: U.S. Geological Survey Bulletin 803, scale 1:62,500.
56	Mansfield, G.R. and G.H. Girty, 1927, Geography, geology, and mineral resources of part of southeastern Idaho with descriptions of Carboniferous and Triassic fossils, U.S. Geological Survey Professional Paper 152, scale 1:62,000.
57	McIntyre, D.H., 1976, Reconnaissance geologic map of the Weiser geothermal area, Washington County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-745, scale 1:62,500.
58	Miller, D.M., 1983, Allochthonous quartzite sequence in the Albion Mountains, Idaho, and proposed Proterozoic Z and Cambrian correlatives in the Pilot Range, Utah and Nevada, in D.M. Miller, V.R. Todd, and K.A. Howard, eds., Tectonic and Stratigraphic Studies in the Eastern Great Basin: Geological Society of America Memoir 157, p. 191-214.
59	Miller, F.K., and R.F. Burmester, 2004, Geologic map of the Bonners Ferry 30' x 60' quadrangle, Idaho and Montana: U.S. Geological Survey Miscellaneous Field Studies Map MF-2426, scale 1:100,000.

60	Miller, F.K., R.F. Burmester, R.E. Powell, D.M. Miller, and P.D. Derkey, 1999, Digital geologic map of the Sandpoint 1- by 2-degree quadrangle, Washington, Idaho, and Montana: U.S. Geological Survey Open-File Report 99-144, scale 1:250,000.
61	O'Neill, J.M., and R.L. Christiansen, 2004, Geologic map of the Hebgen Lake quadrangle, Beaverhead, Madison, and Gallatin counties, Montana, Park and Teton counties, Wyoming, and Clark and Fremont counties, Idaho: U.S. Geological Survey Scientific Investigations Map SIM-2816, scale 1:100,000.
62	Oreil, S.S., 1968, Preliminary geologic map of Bancroft quadrangle, Caribou and Bannock Counties, Idaho: U.S. Geological Survey Open-File Report OF-68-204, scale 1:48,000.
63	Oriel, S.S. and D.W. Moore, 1985, Geologic map of the West and East Palisades Roadless areas, Idaho and Wyoming: U.S. Geological Survey Miscellaneous Field Studies Map MF-1619-B, scale 1:50,000.
64	Oriel, S.S., and L.B. Platt, 1980, Geologic map of the Preston 1° x 2° quadrangle, southeastern Idaho and western Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-1127, scale 1:250,000.
65	Othberg, K.L., 1982, Surficial geologic map of the Baker quadrangle, Idaho: Idaho Geological Survey Surficial Geology Map 2, scale 1:250,000.
66	Othberg, K.L., 1984, Geomorphology of ground-failure hazards, Preston and Soda Springs 30' x 1° quadrangles, Idaho and Wyoming: Idaho Geological Survey Technical Report 84-3, scale 1:100,000.
67	Othberg, K.L., 2002, Surficial geologic map of the Michaud and Pocatello North quadrangles, Bannock and Power counties, Idaho: Idaho Geological Survey Surficial Geologic Map 14, scale 1:24,000.
68	Othberg, K.L., and L.R. Stanford, 1992, Geologic map of the Boise Valley and adjoining area, western Snake River Plain, Idaho: Idaho Geological Survey Geologic Map 18, scale 1:100,000.
69	Otto, B.R., A.H. Wylie, and M.J. Martin, 2005, Geology of the Franklin area, Franklin County, Idaho and Cache County, Utah: Idaho Geological Survey Information Circular I-57, scale 1:24000.
70	Phillips, W.M., Unpublished geologic maps of the Idaho Falls area: Idaho Geological Survey, scale 1:24,000.
71	Phillips, W. M, and J.A. Welhan, 2011, Geologic map of the Idaho Falls North quadrangle, Bonneville County, Idaho: Idaho Geological Survey Digital Web Map 77, scale 1:24,000.
72	Phillips, W. M, and J.A. Welhan, 2011, Geologic map of the Idaho Falls South quadrangle, Bingham and Bonneville Counties, Idaho: Idaho Geological Survey Digital Web Map 78, scale 1:24,000.
73	Pierce, K.L., H.R. Covington, P.L. Williams, and D.H. McIntyre, 1983, Geologic map of the Cotterel Mountains and the northern Raft River Valley, Cassia County, Idaho: U.S. Geological Survey Miscellaneous Investigations Series Map I-1450, scale 1:48,000.
74	U.S. Geological Survey and Idaho Geological Survey, 2006, Quaternary fault and fold database for the United States, accessed Sept 2010, from USGS web site: http://earthquake.usgs.gov/regional/qfaults/ .
75	Schmidt, K.L., R.S. Lewis, R.F. Burmester, and R.A. Lang, 1994, Reconnaissance geologic map of the Shoup and Horse Creek area, Lemhi and Idaho counties, Idaho: Idaho Geological Survey Technical Report 94-3, scale 1:50,000.
76	Scott, W.E., 1982, Surficial geologic map of the eastern Snake River Plain and adjacent areas, 111° to 115° W., Idaho and Wyoming: U.S. Geological Survey Map I-1372, scale 1:250,000.
77	Skipp, Betty, 1984, Geologic map and cross sections of the Italian Peak and Italian Peak middle roadless areas, Beaverhead County, Montana, and Clark and Lemhi counties, Idaho: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1601-B, scale 1:62,000.
78	Skipp, Betty, 1985, Contraction and extension faults in the southern Beaverhead Mountains, Idaho and Montana: U.S. Geological Survey Open-File Report 85-545, scale 1:250,000.
79	Skipp, Betty, and M.A. Kuntz, 2009, Geologic map of the Arco 30 x 60 minute quadrangle, south-central Idaho: Idaho Geological Survey Geologic Map 47, 42 p., scale 1:100,000.

80	Steely, A.N., S.U. Janecke, S.P. Long, S.C. Carney, R.Q. Oaks, Jr., V.E. Langenheim, and P.K. Link, 2005, Evolution of a Late Cenozoic superdetachment basin above a flat-on-flat detachment with a folded lateral ramp, SE Idaho, in J.L. Pederson and C.M. Dehler, eds., Interior Western United States: Geological Society of America Field Guide 6, p. 169-198.
81	Stewart, D.E., R.S. Lewis, and P.K. Link, Unpublished geologic maps of the Big Creek drainage, central Idaho: Idaho Geological Survey, scale 1:24,000.
82	Vallier, T.L., 1998, Islands and Rapids, A Geologic Story of Hells Canyon: Confluence Press, Lewiston, Idaho, 151 p.
83	Wilson, A.B., and Betty Skipp, 1994, Geologic Map of the eastern part of the Challis National Forest and vicinity, Idaho: U.S. Geological Survey Miscellaneous Investigations Series Map I-2395, scale 1:250,000.
84	Worl, R.G., T.H. Kiilsgaard, E.H. Bennett, P.K. Link, R.S. Lewis, V.E. Mitchell, K.M. Johnson, and L.D. Snyder, 1991, Geologic map of the Hailey 1° x 2° quadrangle, Idaho: U.S. Geological Survey Open-File Report 91-340, scale 1:250,000.
85	Zientek, M.L., P.D. Derkey, R.J. Miller, J.D. Causey, A.A. Bookstrom, M.H. Carlson, G.N. Green, T.P. Frost, D.E. Boleneus, K.V. Evans, B.S. Van Gosen, A.B. Wilson, J.C. Larsen, H.Z. Kayser, W.N. Kelley, and K.C. Assmus, 2005, Spatial databases for the geology of the northern Rocky Mountains--Idaho, Montana, and Washington: U.S. Geological Survey Open-File Report 2005-1235, scale 1:250,000.