


Personal and File Geodatabase (GIS data) for the Preliminary Geologic Map of the Sandpoint 30 x 60 Minute Quadrangle, Idaho and Montana, and the Idaho Part of the Chewelah 30 x 60 Minute Quadrangle, 2008, Idaho Geological Survey Digital Web Map 94 (DWM-94),

ArcGIS Personal Geodatabase



Tags

Geoscientific Information, Sandpoint, Northern Idaho, Bonner County Idaho, Shoshone County Idaho, Lincoln County Montana, Sanders County Montana, geologic map, Idaho, geologic map GIS

Summary

Digital geologic map data (GIS database) of the Preliminary Geologic Map of the Sandpoint 30 x 60 Minute Quadrangle, Idaho and Montana, and the Idaho Part of the Chewelah 30 x 60 Minute Quadrangle, 2008, Idaho Geological Survey Digital Web Map 94 (DWM-94)

Description

These data were created from original field work or compiled from existing geologic map data at scales of from 1:24,000 to 1:62,500. Data source is the IGS publication DWM-94. *Preliminary Geologic Map of the Sandpoint 30 x 60 Minute Quadrangle, Idaho and Montana, and the Idaho Part of the Chewelah 30 x 60 Minute Quadrangle, 2008*. This Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourceID field/attribute to determine the geologic source for the data. Feature classes included with dataset:

MapUnitCentroids--Map unit polygon annotations (Labels)

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

Faults--Geologic faults. Includes all faults; both dangler faults and contact-faults. Use the "type" field to classify or to link to the Glossary.

Dikes--Geologic dikes (lines too small to map as polygons). Use the MapUnit field to classify or to link to the DescriptionOfMapUnits table.

Geologic Points--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary if desired.

Orientations Points--Orientation Point data. For example, strike and dip and foliations measurements. Intended for non-site-specific investigations. Use the "type" field to classify or to link to the Glossary.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terrace scarps, or avalanche trace.

MapUnitPolygons--Geologic map units polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

PatGrndOverLayPolys--Patterned Ground polygons overlay. Descriptions for this unit can be found in the DescriptionOfMapUnits feature class/table.

SandOverLayPolys--Sand deposits polygons overlay. Descriptions for this unit can be found in the DescriptionOfMapUnits feature class/table.

Non Spatial data tables:

Note: Look in folder "\\Sandpoint30x60_ShapeFiles \Non-SpatialTables" for non-Microsoft versions of these tables. Two types: dBase III, and .csv(commma delimited text).

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSourcees_ID in Sources.

DataDictionary--Listing and information about fields in most Feature Classes and tables

Credits

Science data credit: Reed S. Lewis, Russell F. Burmester, Roy M. Breckenridge, Mark D. McFadden, and William M. Phillips

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Theresa A. Taylor (Watt), and Jesse S. Bird

Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:62,500 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

West -117.041 **East** -116
North 48.5 **South** 48

Scale Range

Maximum (zoomed in) 1:50,000
Minimum (zoomed out) 1:500,000

ArcGIS Metadata ▶**Topics and Keywords** ▶

Hide Topics and Keywords ▲

Citation ▶

TITLE Personal and File Geodatabase (GIS data) for the Preliminary Geologic Map of the Sandpoint 30 x 60 Minute Quadrangle, Idaho and Montana, and the Idaho Part of the Chewelah 30 x 60 Minute Quadrangle, 2008, Idaho Geological Survey Digital Web Map 94 (DWM-94),
PUBLICATION DATE 2008-05-05 00:00:00

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

Hide Contact information ▲

Hide Citation Contacts ▲

Resource Details ▶

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: Reed S. Lewis, Russell F. Burmester, Roy M. Breckenridge, Mark D. McFadden, and William M. Phillips

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Theresa A. Taylor (Watt), and Jesse S. Bird

ARCGIS ITEM PROPERTIES

* **LOCATION** file:///\\vgs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\30x60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB - Copy.mdb
 * **ACCESS PROTOCOL** Local Area Network

Hide Resource Details ▲

Extents ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching
WEST LONGITUDE -117.041
EAST LONGITUDE -116
NORTH LATITUDE 48.5
SOUTH LATITUDE 48

Hide Extents ▲

Resource Points of Contact ▶

POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE
VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

Hide Contact information ▲*Hide Resource Points of Contact* ▲**Resource Maintenance** ▶**RESOURCE MAINTENANCE**

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE
VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

Hide Contact information ▲*Hide Resource Maintenance* ▲**Resource Constraints** ▶**CONSTRAINTS****LIMITATIONS OF USE**

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:62,500 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Hide Resource Constraints ▲**Data Quality** ▶**SCOPE OF QUALITY INFORMATION** ▶

RESOURCE LEVEL dataset

Hide Scope of quality information ▲**DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY** ▶**MEASURE DESCRIPTION**

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types "AuthorConfidence" field. Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

Hide Data quality report - Conceptual consistency ▲*Hide Data Quality* ▲**Geoprocessing history** ▶**PROCESS**

PROCESS NAME
DATE 2017-04-03 11:15:07

```

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB
COMMAND ISSUED
  CreatePersonalGDB W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5 /Sandpoint_Geol_pGDB CURRENT
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:03
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\MapUnitPolys.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/Contacts.shp
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/OrientationPoints.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/Faults.shp
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/GeologicPoints.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/Dikes.shp
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/GeologicLines.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/CartographicLines.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/ContactsAndFaults.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5/Qgs_MapUnitPolys.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

```

```

COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Qgs_Bdys.shp
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:19:58
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Qpg_MapUnitPolys.SHP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:20:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase
COMMAND ISSUED
  FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Qpg_Bdys.shp
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/C
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/CAF
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/CL
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/D
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/F
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/GL
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/GP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
  TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/MUP
  W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-04-03 11:22:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

```

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/OP
 W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-
 GDB.mdb/OverlayUnitContacts_Qgs W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-
 GDB.mdb/OverlayUnitContacts_Qpg W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:32

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-
 GDB.mdb/OverlayUnitPolygons_Qgs W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-
 GDB.mdb/OverlayUnitPolygons_Qpg W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/SOURCESFile
 W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/XGLOSSARYNOTFOUND
 W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:22:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\attributes-GDB.mdb/XIGSsourceNOTFOUND
 W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

PROCESS

PROCESS NAME

DATE 2017-04-03 11:31:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

COMMAND ISSUED

Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA **No**

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey
 CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
 DELIVERY POINT 875 Perimeter Dr. MS 3014
 CITY Moscow
 ADMINISTRATIVE AREA ID
 POSTAL CODE 83844-3014
 COUNTRY US

[Hide Contact information ▲](#)

AVAILABLE FORMAT
NAME **ArcGIS Personal Geodatabase**

AVAILABLE FORMAT
NAME **Shape Files**

TRANSFER OPTIONS
UNITS OF DISTRIBUTION **Preliminary Geologic Map of the Sandpoint 30 x 60 Minute Quadrangle, Idaho and Montana, and the Idaho Part of the Chewelah 30 x 60 Minute Quadrangle**

ONLINE SOURCE
LOCATION http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Preliminary_Geologic_Map_of_the_Sandpoint_30_x_60_Minute_Quadrangle_Idaho_and_Montana_and_the_Idaho_Part_of_the_Chewelah_3
FUNCTION PERFORMED **download**

[Hide Distributor ▲](#)

[Hide Distribution ▲](#)

Fields ►

OVERVIEW DESCRIPTION ►
ENTITY AND ATTRIBUTE OVERVIEW
See **DataDictionary** table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

METADATA CHARACTER SET **utf8 - 8 bit UCS Transfer Format**

SCOPE OF THE DATA DESCRIBED BY THE METADATA **dataset**

LAST UPDATE **2017-05-25**

ARCGIS METADATA PROPERTIES
METADATA FORMAT **ArcGIS 1.0**
METADATA STYLE **FGDC CSDGM Metadata**
STANDARD OR PROFILE USED TO EDIT METADATA **FGDC**

CREATED IN ARCGIS FOR THE ITEM **2017-04-10 10:20:43**
LAST MODIFIED IN ARCGIS FOR THE ITEM **2017-06-20 92:40:50**

AUTOMATIC UPDATES
HAVE BEEN PERFORMED **No**

ITEM LOCATION HISTORY
ITEM COPIED OR MOVED **2017-04-10 10:20:43**
FROM **W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB.mdb**
TO **\\igs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Sandpoint\GIS_NCGMP09\Round_5\Sandpoint_Geol_pGDB - Copy.mdb**

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT
ORGANIZATION'S NAME **Idaho Geological Survey**
CONTACT'S ROLE **originator**

CONTACT INFORMATION ►
PHONE
VOICE **208-885-7991**

ADDRESS
TYPE **postal**
DELIVERY POINT **875 Perimeter Dr. MS 3014**
CITY **Moscow**
ADMINISTRATIVE AREA **ID**
POSTAL CODE **83844-3014**
COUNTRY **US**

[Hide Contact Information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE
UPDATE FREQUENCY **as needed**

MAINTENANCE CONTACT
ORGANIZATION'S NAME **Idaho Geological Survey**
CONTACT'S ROLE **originator**

CONTACT INFORMATION ►
PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

[Hide Contact information ▲](#)

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ►

Entities and Attributes ►

OVERVIEW DESCRIPTION

ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Entities and Attributes ▲](#)