


Personal Geodatabase (GIS data) for the Geologic Map of the Idaho Part of the Grangeville 30 x 60 Minute Quadrangle, and Adjoining Areas of Washington and Oregon, 2014, Idaho Geological Survey Geologic Map 50 (GM-50), GIS Dataset

ArcGIS Personal Geodatabase



Tags

Geoscientific Information, Grangeville Idaho, Nez Perce County Idaho, Idaho County Idaho, geologic map, Idaho, geologic map GIS

Summary

Digital geologic map data (GIS database) of the Geologic Map of the Idaho Part of the Grangeville 30 x 60 Minute Quadrangle, and Adjoining Areas of Washington and Oregon, Idaho Geological Survey GM-50, intended for non-site-specific investigations. The Geodatabase data set: Grangeville30x60_GM50-IGS.

Description

These data were created from original field work or compiled from existing geologic map data at scales of from 1:24,000 to 1:250,000. Most data (contact faults, etc.) were captured at 1:24,000. Data source is the IGS publication GM-50, Geologic Map of the Idaho Part of the Grangeville 30 x 60 Minute Quadrangle, and Adjoining Areas of Washington and Oregon, 2014. This Personal Geodatabase is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourceID field/attribute to determine the geologic source and scale for the data. Feature classes included with datasetSpatial data feature classes:

MapUnitCentroids--Map unit polygon annotations (Labels).

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps.

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons. Use the "type" field to classify contact type or to link to the Glossary. This Feature Class is not part of the NCGMP09 standard.

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Used to build map unit polygons. Use the "type" field to classify contact type or to link to the Glossary. Use the "FaultMovement" field to classify fault type or to link to the Glossary.

Faults--Geologic faults. Includes all faults; both dangler faults and contact -faults. Use the "FaultMovement" field to classify fault type or to link to the Glossary. This Feature Class is not part of the NCGMP09 standard.

Dikes--Geologic dikes (lines too small to map as polygons). Use the mapunit field to classify or to link to the DescriptionOfMapUnits table. This Feature Class is not part of the NCGMP09 standard. Geologic Points--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary if desired.

Orientations Points--Orientation Point data. Includes strike and dip and foliations measurements. Use the "type" field to classify or to link to the Glossary.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terraces scarps, axial fold traces, or avalanche trace. Use the "type" field to classify or to link to the Glossary.

GeologicPoints--Features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary table.

MapUnitPolygons--Geologic map units polygons. These are the main features of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table. Link via the "MapUnit" field.

Qed_MapUnitPolys--Overlay polygon feature class. Polygons showing areas of dune sand.

Qms_MapUnitPolys--Overlay polygon feature class. Polygons showing areas of mass movement not mapped as landslide deposits.

Non Spatial data tables:

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all Feature Classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be link to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSourcees_ID in Sources.

DataDictionary--Field/attribute descriptions for fields in all Feature Classes and non-spatial tables in this data set.

Credits

Science data credit: John D. Kauffman, Keegan L. Schmidt, Reed S. Lewis, David E. Stewart, Kurt L. Othberg, and Dean L. Garwood

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Collette Gantenbein, Theresa A. Taylor (Watt), Jesse S. Bird

Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:250,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

West -116.94 **East** -116
North 46 **South** 45.5

Scale Range

Maximum (zoomed in) 1:50,000
Minimum (zoomed out) 1:500,000

ArcGIS Metadata ▶**Citation** ▶

TITLE Personal Geodatabase (GIS data) for the Geologic Map of the Idaho Part of the Grangeville 30 x 60 Minute Quadrangle, and Adjoining Areas of Washington and Oregon, 2014, Idaho Geological Survey Geologic Map 50 (GM-50), GIS Dataset
PUBLICATION DATE 2014-11-15 00:00:00

SERIES

NAME Idaho Geological Survey Geologic Map 50
ISSUE GM-50

[Hide Citation](#) ▲

Citation Contacts ▶**RESPONSIBLE PARTY**

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ▶**PHONE**

VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

[Hide Contact information](#) ▲

[Hide Citation Contacts](#) ▲

Resource Details ▶

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: John D. Kauffman, Keegan L. Schmidt, Reed S. Lewis, David E. Stewart, Kurt L. Othberg, and Dean L. Garwood

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Collette Gantenbein, Theresa A. Taylor (Watt), Jesse S. Bird

ARCGIS ITEM PROPERTIES

* **LOCATION** file:///A:\\igs-graben\shared\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB_Field_Del - Copy.mdb
 * **ACCESS PROTOCOL** Local Area Network

[Hide Resource Details](#) ▲

Extents ▶**EXTENT****GEOGRAPHIC EXTENT****BOUNDING RECTANGLE**

EXTENT TYPE Extent used for searching
WEST LONGITUDE -116.94
EAST LONGITUDE -116
NORTH LATITUDE 46
SOUTH LATITUDE 45.5

EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)**Resource Points of Contact ►**

POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US[Hide Contact information ▲](#)[Hide Resource Points of Contact ▲](#)**Resource Maintenance ►**

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US[Hide Contact information ▲](#)[Hide Resource Maintenance ▲](#)**Resource Constraints ►**

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:250,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)**Data Quality ►**

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►

MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types "AuthorConfidence" field. Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)**Geoprocessing history ►****PROCESS**

PROCESS NAME

DATE 2016-11-08 15:33:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

COMMAND ISSUED

CreatePersonalGDB W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:36:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\MapUnitPolys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:36:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Contacts.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:36:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\OrientationPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:36:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Faults.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:36:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\GeologicPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Dikes.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\GeologicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\CartographicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\ContactsAndFaults.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Qed_MapUnitPolys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Qed_Bdys.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:39

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Qms_MapUnitPolys.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:37:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Qms_Bdys.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:39:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/CAF
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:39:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/CAF
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:39:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/CL
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:40:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/D
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:40:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/F
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:40:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/GL
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-11-08 15:40:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

```

COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/GP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:40:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/MUP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:40:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/OP
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:41:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/OverlayUnitContacts_Qed W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:41:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/OverlayUnitPolygons_Qed W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:41:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/OverlayUnitPolygons_Qms W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:41:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/OverlayUnitPolygons_Qms W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:41:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-GDB.mdb/SOURCEFile
W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:42:03
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/XGLOSSARYNOTFOUND W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:42:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase
COMMAND ISSUED
TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\attributes-
GDB.mdb/XIGSSourceNOTFOUND W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09
\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-11-08 15:57:03
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

```

COMMAND ISSUED
 Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB.mdb
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey
 CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
 DELIVERY POINT 875 Perimeter Dr. MS 3014
 CITY Moscow
 ADMINISTRATIVE AREA ID
 POSTAL CODE 83844-3014
 COUNTRY US
 E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

AVAILABLE FORMAT

NAME Zipped files

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

NAME ArcGIS Personal Geodatabase

DISTRIBUTION FORMAT

NAME Shape Files

TRANSFER OPTIONS

UNITS OF DISTRIBUTION Geologic Map of the Idaho Part of the Grangeville 30 x 60 Minute Quadrangle

ONLINE SOURCE

LOCATION [http://www.idahogeology.org/Products/reverselook.asp?](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Idaho_Part_of_the_Grangeville_30_x_60_Minute_Quadrangle_and_Adjoining_Areas_of_Washington_and_Oregon)

[switch=title&value=Geologic_Map_of_the_Idaho_Part_of_the_Grangeville_30_x_60_Minute_Quadrangle_and_Adjoining_Areas_of_Washington_and_Oregon](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Idaho_Part_of_the_Grangeville_30_x_60_Minute_Quadrangle_and_Adjoining_Areas_of_Washington_and_Oregon)

FUNCTION PERFORMED download

[Hide Distribution ▲](#)

Metadata Details ►

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

LAST UPDATE 2016-11-17

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2016-11-17 07:52:41

LAST MODIFIED IN ARCGIS FOR THE ITEM 2016-12-02 09:22:80

AUTOMATIC UPDATES

HAVE BEEN PERFORMED No

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2016-11-17 07:52:41

FROM W:\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB_Field_Del.mdb

TO \\igs-graben\shared\DATABASE_MAPS\GEOLOGY_tile_project\30X60_minute\Grangeville\GIS_NCGMP09\Round_4\Grangeville_Geology_Round_4_pGDB_Field_Del - Copy.mdb

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal
 DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:250,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale. The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Metadata Constraints ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)