


Personal and File Geodatabase (GIS data) for the Geologic Map of the Northern and Central Parts of the Idaho National Engineering and Environmental Laboratory, Eastern Idaho, 2003, Idaho Geological Survey Geologic Map 35 (GM-35)

ArcGIS Personal Geodatabase



Tags

Geoscientific Information, Idaho National Engineering and Environmental Laboratory, Butte County Idaho, Clark County Idaho, Bingham County Idaho, Jefferson County Idaho, geologic map, Idaho, geologic map GIS

Summary

Digital geologic map data (GIS database) of the Geologic Map of the Northern and Central Parts of the Idaho National Engineering and Environmental Laboratory, Eastern Idaho, 2003, Idaho Geological Survey Geologic Map 35 (GM-35)

Description

These data were created from original field work or compiled from existing geologic map data at 1:24,000. Data source is the IGS publication GM-35, *Geologic Map of the Northern and Central Parts of the Idaho National Engineering and Environmental Laboratory, Eastern Idaho, 2003*, Idaho Geological Survey Geologic Map 35 (GM-35). This Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data.

Feature classes included with dataset:

MapUnitCentroids--Map unit polygon annotations (Labels)

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map

unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary table.

Faults--Geologic faults. Includes all faults; both dangler faults and contact-faults. Use the "type" field to classify or to link to the Glossary table.

Dikes--Geologic dikes (lines too small to map as polygons). Use the MapUnit field to classify or to link to the DescriptionOfMapUnits table.

Geologic Points--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary table if desired.

Orientations Points--Orientation Point data. For example, strike and dip and foliations measurements. Use the "type" field to classify or to link to the Glossary table.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terrace scarps, or avalanche trace.

MapUnitPolys--Geologic map units polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

Non Spatial data tables:

Note: Look in folder "\\INEEL_GM-35-IGS_ShapeFiles\Non-SpatialTables" for non-Microsoft versions of these tables. Two types: dBase III, and .csv(comma delimited text).

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes (.CSV format only).

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources_ID in Sources.

DataDictionary—Listing and information about fields in most Feature Classes and tables

Credits

Science data credit: Mel A. Kuntz, Paul Karl Link, Diana L. Boyack, Jeffrey K. Geslin, Linda E. Mark, Mary K.V. Hodges, Mary E. Kauffman, Duane E. Champion, Marvin R. Lanphere, David W. Rodgers, and Mark H. Anders
 GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Mary Kauffman, Diana Boyack, and Tim Funderberg

Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

West -112.9619 **East** -112.5313
North 44.0878 **South** 43.625

Scale Range

Maximum (zoomed in) 1:50,000
Minimum (zoomed out) 1:500,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE geoscientificInformation

Hide Topics and Keywords ▲

Citation ►

TITLE Personal and File Geodatabase (GIS data) for the Geologic Map of the Northern and Central Parts of the Idaho National Engineering and Environmental Laboratory, Eastern Idaho, 2003, Idaho Geological Survey Geologic Map 35 (GM-35)

PUBLICATION DATE 2012-07-01 00:00:00

Hide Citation ▲

Citation Contacts ►

RESPONSIBLE PARTY

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: Mel A. Kuntz, Paul Karl Link, Diana L. Boyack, Jeffrey K. Geslin, Linda E. Mark, Mary K.V. Hodges, Mary E. Kauffman, Duane E. Champion, Marvin R. Lanphere, David W. Rodgers, and Mark H. Anders

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Mary Kauffman, Diana Boyack, and Tim Funderberg

ARCGIS ITEM PROPERTIES

* LOCATION file://\igs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\INEEL_GM-35-IGS\INEEL_GM-35-IGS_10-3-1 - Copy.mdb
 * ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

WEST LONGITUDE -112.9619

EAST LONGITUDE -112.5313

NORTH LATITUDE 44.0878

SOUTH LATITUDE 43.625

EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

See access and use constraints information.

[Hide Resource Constraints ▲](#)

Data Quality ►

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►

MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSourcees table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

COMMAND ISSUED

CreatePersonalGDB

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3 /tan_geol_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/MapUnitPolys.SHP

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09

\Round_3/Contacts.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/OrientationPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/Faults.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/GeologicPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:34:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/Dikes.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\GeologicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\tan_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\CartographicLines.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\tan_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\ContactsAndFaults.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\tan_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/C
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\tan_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

```
TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\attributes-GDB.mdb/CAF
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3\tan_geol_pGDB.mdb
```


INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/attributes-GDB.mdb/CL

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/attributes-GDB.mdb/D

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/attributes-GDB.mdb/F

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:32

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/attributes-GDB.mdb/GL

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/GP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/MUP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/OP
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/SOURCESfile
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:39

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/XGLOSSARYNOTFOUND
W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:35:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/attributes-GDB.mdb/XIGSsourceNOTFOUNDW:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-13 10:38:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

COMMAND ISSUED

Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09
\Round_3/tan_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

*Hide Geoprocessing history ▲***Distribution ►**

DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

*Hide Contact information ▲**Hide Distributor ▲*

DISTRIBUTION FORMAT

NAME ArcGIS Personal Geodatabase

DISTRIBUTION FORMAT

NAME Shape Files

TRANSFER OPTIONS

UNITS OF DISTRIBUTION Personal and File Geodatabase (GIS data) for the Geologic Map of the Mayfield Area, Ada and Elmore Counties, Idaho, 2012, Idaho Geological Survey Digital Web Map 144 (DWM-144)

ONLINE SOURCE

LOCATION http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Mayfield_Area,_Ada_and_Elmore_Counties,_Idaho

[Hide Distribution ▲](#)

Fields ►

OVERVIEW DESCRIPTION ►

ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

METADATA CHARACTER SET `utf8 - 8 bit UCS Transfer Format`

SCOPE OF THE DATA DESCRIBED BY THE METADATA `dataset`

LAST UPDATE `2017-07-19`

ARCGIS METADATA PROPERTIES

METADATA FORMAT `ArcGIS 1.0`

METADATA STYLE `FGDC CSDGM Metadata`

STANDARD OR PROFILE USED TO EDIT METADATA `FGDC`

CREATED IN ARCGIS FOR THE ITEM `2017-07-19 12:27:29`

LAST MODIFIED IN ARCGIS FOR THE ITEM `2017-07-26 93:45:70`

AUTOMATIC UPDATES

HAVE BEEN PERFORMED `No`

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED `2017-07-19 12:27:29`

FROM `W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\INEEL_GM-35-IGS\INEEL_GM-35-IGS_10-3-1.mdb`

To `\\igs-`

`riff\shared\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\INEEL_Map\GIS_NCGMP09\INEEL_GM-35-IGS\INEEL_GM-35-IGS_10-3-1 - Copy.mdb`

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

ORGANIZATION'S NAME `Idaho Geological Survey`

CONTACT'S ROLE `originator`

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Metadata Contacts ▲](#)**Metadata Maintenance ►**

MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Metadata Maintenance ▲](#)**Metadata Constraints ►**

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

See access and use constraints information.

[Hide Metadata Constraints ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼