


# Personal Geodatabase (GIS data) for the Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-central Idaho, IGS GM-47

## ESRI Personal Geodatabase



### Tags

Geologic Map of the Arco 30 x 60 minute quadrangle, south-central Idaho

### Summary

Digital geologic map data of the Arco 30 x 60 minute quadrangle, south-central Idaho, intended for non site-specific investigations. The Geodatabase data set: Arco30x60Geol\_PGDB.mdb.

### Description

These data were created from original field work or compiled from existing geologic map data at scales of from 1:24,000 to 1:100,000. Data source is the IGS publication GM-47, Geologic Map of the Arco 30 x 60 minute quadrangle, south-central Idaho. This Personal Geodatabase is *approximately* compliant with the draft standard for publication of digital geologic maps (NCGMP09).

### Feature classes included with dataset

Spatial data feature classes:

MapUnitCentroids--Map unit polygon annotations (Labels)

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Used to build map unit polygons. Use the "type" field to classify or to link to the Glossary.

Faults--Geologic faults. Includes all faults; both dangler faults and contact -faults. Use the "type" field to classify or to link to the Glossary.

Dikes--Geologic dikes (lines too small to map as polygons. Use the mapunit field to classify or to link to the DescriptionOfMapUnits table.

Geologic Points--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary if desired.

Orientations Points--Orientation Point data. For example includes strike and dip and foliations measurements. Intended for non-site-specific investigations. Use the "type" field to classify or to link to the Glossary.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terraces scarps, or avalanche trace.

MapUnitPolygons--Geologic map units polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

Non Spatial data tables:

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine\_crest: Definition--glacial moraine ridge crest. Features in feature classes can be link to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources\_ID in Sources.

## Credits

Science data credit: Betty Skipp, Lawrence G. Snider, Susanne U. Janecke, and Mel A. Kuntz.  
GIS credit: Loudon R. Stanford, Jane S. Freed, Jesse S. Bird, Theresa A. Taylor, and B. Benjamin E. Studer.

## Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:100,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale.

The IGS does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

## Extent

<b>West</b>	-114.0	<b>East</b>	-113.0
<b>North</b>	44.0	<b>South</b>	43.5

**Scale Range****Maximum (zoomed in)** 1:50,000**Minimum (zoomed out)** 1:500,000**ArcGIS Metadata** ▶**Topics and Keywords** ▶THEMES OR CATEGORIES OF THE RESOURCE [geoscientificInformation](#)CONTENT TYPE [Map Files](#)[EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION](#) [No](#)THEME KEYWORDS [Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-central Idaho, IGS GM-47](#)OTHER KEYWORDS [Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-central Idaho, IGS GM-47](#)[Hide Topics and Keywords](#) ▲**Citation** ▶TITLE [Personal Geodatabase \(GIS data\) for the Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-central Idaho, IGS GM-47](#)PUBLICATION DATE [2009-01-01 00:00:00](#)

SERIES

NAME [Geologic Map](#)ISSUE [47](#)

RESOURCE IDENTIFIER

VALUE [GM-47](#)

REFERENCE THAT DEFINES THE VALUE ▶

TITLE [Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-central Idaho, IGS GM-47](#)PUBLICATION DATE [2013-11-22 00:00:00](#)[Hide Reference that defines the value](#) ▲[Hide Citation](#) ▲**Citation Contacts** ▶

RESPONSIBLE PARTY

ORGANIZATION'S NAME [Idaho Geological Survey](#)CONTACT'S ROLE [originator](#)

CONTACT INFORMATION ▶

PHONE

VOICE [208-885-7991](#)

ADDRESS

DELIVERY POINT [Morrill Hall, Third Floor, University of Idaho](#)

CITY Moscow  
 ADMINISTRATIVE AREA Idaho  
 POSTAL CODE 83844-3014  
 COUNTRY US  
 E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

## Resource Details ►

DATASET LANGUAGES English  
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed  
 SPATIAL REPRESENTATION TYPE vector

### SPATIAL RESOLUTION

DATASET'S SCALE  
 SCALE DENOMINATOR 24000

DATASET'S SCALE  
 SCALE DENOMINATOR 100000

### CREDITS

Science data credit: Betty Skipp, Lawrence G. Snider, Susanne U. Janecke, and Mel A. Kuntz. GIS credit: Loudon R. Stanford, Jane S. Freed, Jesse S. Bird, Theresa A. Taylor, and B. Benjamin E. Studer.

### ARCGIS ITEM PROPERTIES

[Hide Resource Details ▲](#)

## Extents ►

### EXTENT

DESCRIPTION  
 Data not time sensitive.

### GEOGRAPHIC EXTENT

BOUNDING RECTANGLE  
 WEST LONGITUDE -114.00  
 EAST LONGITUDE -113.0  
 SOUTH LATITUDE 43.5  
 NORTH LATITUDE 44.0  
 EXTENT CONTAINS THE RESOURCE Yes

### GEOGRAPHIC EXTENT

GEOGRAPHIC DESCRIPTION  
 DESCRIPTION CONTAINS THE RESOURCE No

### TEMPORAL EXTENT

BEGINNING DATE 2015-07-02 00:00:00

ENDING DATE  
 INDETERMINATE DATE unknown

#### EXTENT

GEOGRAPHIC EXTENT  
 BOUNDING RECTANGLE  
 EXTENT TYPE Extent used for searching  
 WEST LONGITUDE -114.0  
 EAST LONGITUDE -113.0  
 SOUTH LATITUDE 43.5  
 NORTH LATITUDE 44.0  
 EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

### Resource Points of Contact ►

POINT OF CONTACT  
 ORGANIZATION'S NAME Idaho Geological Survey  
 CONTACT'S ROLE originator

[Hide Resource Points of Contact ▲](#)

### Resource Maintenance ►

RESOURCE MAINTENANCE  
 UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

### Resource Constraints ►

#### CONSTRAINTS

##### LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000-1:100,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSourcees table and the DataSourceID in each Feature Class to determine original intended scale.

The IGS does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

### Spatial Data Properties ►

GRID ►  
 TRANSFORMATION PARAMETERS ARE AVAILABLE No

[Hide Grid ▲](#)

GRID ►  
 TRANSFORMATION PARAMETERS ARE AVAILABLE No

[Hide Grid ▲](#)

[Hide Spatial Data Properties ▲](#)

## Data Quality ►

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - QUANTITATIVE ATTRIBUTE ACCURACY ►

DIMENSION horizontal

### MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource\_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CONTINUOUS line type. Accuracy is proportionally less for smaller scales and even less for other line types "AuthorConfidence" field. Map data used in compilation was visually compared to original for horizontal accuracy.

### EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy

[Hide Data quality report - Quantitative attribute accuracy ▲](#)

DATA QUALITY REPORT - QUANTITATIVE ATTRIBUTE ACCURACY ►

[Hide Data quality report - Quantitative attribute accuracy ▲](#)

[Hide Data Quality ▲](#)

## Lineage ►

### LINEAGE STATEMENT

Geologic map data used in compilation was visually compared to original for omissions, line quality or other errors. No duplicates lines.

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy

Complete geologic sources listing can be found in the "source" table in this data set. Linkage between Feature Classes and DataSources:  
 [FeatureClass??.DataSourceID]<-->[DataSources.DataSourcees\_ID]

[Hide Lineage ▲](#)

## Geoprocessing history ►

### PROCESS

PROCESS NAME  
 DATE 2015-06-30 16:16:55  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB  
 COMMAND ISSUED  
 CreatePersonalGDB  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2 /Arco30x60Geol\_pGDB CURRENT  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### PROCESS

PROCESS NAME  
 DATE 2015-06-30 16:20:48  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED  
 FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/MapUnitPolys.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/Arco30x60Geol\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### PROCESS

PROCESS NAME  
 DATE 2015-06-30 16:20:58  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED  
 FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/Contacts.shp  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/Arco30x60Geol\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### PROCESS

PROCESS NAME  
 DATE 2015-06-30 16:21:05  
 TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase  
 COMMAND ISSUED  
 FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/OrientationPoints.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2/Arco30x60Geol\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### PROCESS

## PROCESS NAME

DATE 2015-06-30 16:21:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Faults.shpW:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:21:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\GeologicPoints.SHPW:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:21:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Dikes.shpW:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:21:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\GeologicLines.SHPW:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:21:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\CartographicLines.SHP



W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-30 16:21:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2/ContactsAndFaults.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-30 16:23:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2/attributes-GDB.mdb/C

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-30 16:24:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2/attributes-GDB.mdb/CAF

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-30 16:24:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2/attributes-GDB.mdb/CL

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-30 16:24:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion

## Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\attributes-GDB.mdb/D  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:24:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\attributes-GDB.mdb/F  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:24:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\attributes-GDB.mdb/GL  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:24:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\attributes-GDB.mdb/GP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:25:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\attributes-GDB.mdb/MUP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09  
 \Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:25:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\attributes-GDB.mdb/OP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:25:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\attributes-GDB.mdb/SOURCESFile

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:25:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\attributes-GDB.mdb/XGLOSSARYNOTFOUND

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:25:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\attributes-GDB.mdb/XIGSsourceNOTFOUND

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09\Arco30x60V2\Arco30x60Geol\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2015-06-30 16:39:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

## COMMAND ISSUED

Compact W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Arco\GIS\_NCGMP09

\\Arco30x60V2\Arco30x60Geol\_pGDB.mdb  
 INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

## Distribution ►

### DISTRIBUTION FORMAT

NAME ESRI Personal Geodatabase  
 VERSION ESRI Personal Geodatabase  
 SPECIFICATION NCGMP09 Geologic map data model format  
 FILE DECOMPRESSION TECHNIQUE zip

### TRANSFER OPTIONS

#### ONLINE SOURCE

LOCATION [http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic\\_Map\\_of\\_the\\_Arco\\_30\\_x\\_60\\_Minute\\_Quadrangle,\\_South-Central\\_Idaho](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Geologic_Map_of_the_Arco_30_x_60_Minute_Quadrangle,_South-Central_Idaho)  
 NAME Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-Central Idaho  
 DESCRIPTION Geologic Map of the Arco 30 x 60 Minute Quadrangle, South-Central Idaho, GM-47

[Hide Distribution ▲](#)

## Fields ►

### OVERVIEW DESCRIPTION ►

#### ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

## References ►

### AGGREGATE INFORMATION

ASSOCIATION TYPE part of seamless database  
 INITIATIVE TYPE investigation

### AGGREGATE RESOURCE NAME ►

#### OTHER CITATION DETAILS

See DataSources Table for complete listing of source of geologic data used in this dataset.

[Hide Aggregate resource name ▲](#)

[Hide References ▲](#)

## Metadata Details ►

METADATA LANGUAGE English  
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset  
SCOPE NAME dataset

LAST UPDATE 2015-07-02

ARCGIS METADATA PROPERTIES  
METADATA FORMAT ArcGIS 1.0  
STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2015-06-30 16:16:55  
LAST MODIFIED IN ARCGIS FOR THE ITEM 2015-07-14 11:30:03

AUTOMATIC UPDATES  
HAVE BEEN PERFORMED No

[Hide Metadata Details ▲](#)

## Metadata Contacts ►

METADATA CONTACT  
INDIVIDUAL'S NAME Loudon Stanford  
ORGANIZATION'S NAME Idaho Geological Survey  
CONTACT'S POSITION Mapping Manager  
CONTACT'S ROLE custodian

CONTACT INFORMATION ►

PHONE  
VOICE 208-885-7991

ADDRESS  
DELIVERY POINT 875 Perimeter Dr. MS 3014  
CITY Moscow  
ADMINISTRATIVE AREA Idaho  
POSTAL CODE 83844-3014  
E-MAIL ADDRESS IGS@uidaho.edu

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

## Metadata Maintenance ►

MAINTENANCE  
UPDATE FREQUENCY as needed

[Hide Metadata Maintenance ▲](#)

## Metadata Constraints ►

CONSTRAINTS  
LIMITATIONS OF USE  
Geologic map data intended for non site-specific use. These data were compiled from

1:24,000-1:100,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class to determine original intended scale.

[Hide Metadata Constraints ▲](#)

## Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE    JPG

[Hide Thumbnail and Enclosures ▲](#)

## FGDC Metadata (read-only) ▼