


## Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Genesee Quadrangle, and Part of the Uniontown Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 13 (SGM-13)



### Tags

Surficial Geologic Map; Genesee, Idaho; Uniontown, Idaho; Latah County, Idaho; Nez Perce County, Idaho; Idaho Geological Survey

### Summary

Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Genesee Quadrangle, and Part of the Uniontown Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 13 (SGM-13)

### Description

The surficial geologic map of the Genesee and Uniontown quadrangles identifies earth materials on the surface and in the shallow subsurface. It is intended for those interested in the area's natural resources, urban and rural growth, and private and public land development. The information relates to assessing diverse conditions and activities, such as slope stability, construction design, sewage drainage, solid waste sites, and the recharge of potable ground water. Details depicted at this scale provide an overview of the area's geology.

These data were created from original field work collected at the scale of 1:24,000. Data source is the IGS publication SGM-13, *Surficial Geologic Map of the Genesee Quadrangle, and Part of the Uniontown Quadrangle, Latah and Nez Perce Counties, Idaho, 2001*. The Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data.

#### Feature classes included in the Geodatabase dataset:

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terrace scarps, or avalanche trace.

LoessOverLayBdys—Boundary polylines of areas of loess deposits.

LoessOverLayCentroids—Center points of loess polygon deposits.

LoessOverLayPolys--Areas of loess deposits.

MapUnitCentroids-- Center points of map unit polygons.

MapUnitPolys--Geologic map unit polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

Non Spatial data tables:

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes.

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine\_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources\_ID in Sources.

DataDictionary—Listing and information about fields in most Feature Classes and tables

## Credits

Science data credit: Kurt L. Othberg, Roy M. Breckenridge, and Daniel W. Weisz

GIS credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed

GIS contact: Linda Tedrow

## Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

## Extent

<b>West</b>	-117.0394	<b>East</b>	-116.875
<b>North</b>	46.625	<b>South</b>	46.5

## Scale Range

**Maximum (zoomed in)** 1:5,000

**Minimum (zoomed out)** 1:150,000,000

## ArcGIS Metadata ►

### Citation ►

**TITLE** Personal and File Geodatabase (GIS data) for the Surficial Geologic Map of the Genesee Quadrangle, and Part of the Uniontown Quadrangle, Latah and Nez Perce Counties, Idaho, 2001, Idaho Geological Survey Surficial Geologic Map 13 (SGM-13)

**PUBLICATION DATE** 2018-02-09 00:00:00

**EDITION DATE** 2018-02-02

#### SERIES

**NAME** Idaho Geological Survey Surficial Geologic Map

**ISSUE** 13

*Hide Citation ▲*

### Citation Contacts ►

#### RESPONSIBLE PARTY

**INDIVIDUAL'S NAME** Idaho Geological Survey

**CONTACT'S ROLE** originator

#### CONTACT INFORMATION ►

##### PHONE

**VOICE** 208-885-7991

##### ADDRESS

**TYPE** postal

**DELIVERY POINT** 875 Perimeter Dr. MS 3014

**CITY** Moscow

**ADMINISTRATIVE AREA** ID

**POSTAL CODE** 83844-3014

**COUNTRY** US

*Hide Contact information ▲*

*Hide Citation Contacts ▲*

### Resource Details ►

**DATASET LANGUAGES** English

**DATASET CHARACTER SET** utf8 - 8 bit UCS Transfer Format

**STATUS** completed

#### CREDITS

Science data credit: Kurt L. Othberg, Roy M. Breckenridge, and Daniel W. Weisz

GIS credit: Loudon R. Stanford, William R. Schuster, and Jane S. Freed

GIS contact: Linda Tedrow

#### ARCGIS ITEM PROPERTIES

\* LOCATION file:///\\igs-rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Genesee-SGM\_13\genu\_surficial\_pGDB\_fielddelete.mdb  
 \* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

## Extents ►

### EXTENT

#### GEOGRAPHIC EXTENT

##### BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching  
 WEST LONGITUDE -117.0394  
 EAST LONGITUDE -116.875  
 SOUTH LATITUDE 46.5  
 NORTH LATITUDE 46.625

[Hide Extents ▲](#)

## Resource Maintenance ►

### RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

## Resource Constraints ►

### CONSTRAINTS

#### LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSourcees table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

### LEGAL CONSTRAINTS

#### LIMITATIONS OF USE

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

## Data Quality ►

## DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►

DIMENSION horizontal

## MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSource table in this data set via "DataSource\_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

## EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy.

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

## Geoprocessing history ►

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:20:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

## COMMAND ISSUED

CreatePersonalGDB

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3 /genu\_surficial\_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:20:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\MapUnitPolys.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:20:25

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/Contacts.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/genu_surficial_pGDB.mdb
```

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-12-16 11:20:28

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/OrientationPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/genu_surficial_pGDB.mdb
```

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-12-16 11:20:30

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/Faults.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/genu_surficial_pGDB.mdb
```

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-12-16 11:20:33

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/GeologicPoints.SHP
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/genu_surficial_pGDB.mdb
```

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-12-16 11:20:35

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

**COMMAND ISSUED**

```
FeatureClassToGeodatabase
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/Dikes.shp
W:\DATABASE_MAPS\GEOLOGY_tile_project\Surficial\Genesee_UnionTown_SGM-13
\GIS_NCGMP09\Round_3/genu_surficial_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:20:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\GeologicLines.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:20:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\CartographicLines.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:20:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\ContactsAndFaults.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:20:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\Loess\_MapUnitPolys.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:20:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

## COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\Loess\_Bdys.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\attributes-GDB.mdb/C  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:02

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\attributes-GDB.mdb/CAF  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\attributes-GDB.mdb/CL  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\attributes-GDB.mdb/D  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
 \GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No



## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/F

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/GL

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/GP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/MUP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-12-16 11:21:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13

\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/OP  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:21:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/OverlayUnitContacts\_Loess  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:21:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/OverlayUnitPolygons\_Loess  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:21:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/SOURCESFile  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:21:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/XGLOSSARYNOTFOUND  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13  
\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-12-16 11:21:19

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/attributes-GDB.mdb/XIGSSourceNOTFOUND  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-12-16 11:23:06

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

**COMMAND ISSUED**

Compact W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3/genu\_surficial\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2018-01-30 16:55:06

**TOOL LOCATION** c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Copy

**COMMAND ISSUED**

Copy W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB\_fielddelete.mdb  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Genesee-SGM\_13\Genesee-SGM\_13.mdb Workspace

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

*Hide Geoprocessing history ▲*

## Distribution ►

**DISTRIBUTOR** ►

**CONTACT INFORMATION**

**INDIVIDUAL'S NAME** Idaho Geological Survey  
**CONTACT'S ROLE** originator

**CONTACT INFORMATION** ►

**ADDRESS**

**TYPE** postal  
**DELIVERY POINT** 875 Perimeter Dr. MS 3014  
**CITY** Moscow  
**ADMINISTRATIVE AREA** ID  
**POSTAL CODE** 83844-3014  
**COUNTRY** US

*Hide Contact information ▲*

*Hide Distributor ▲*

**DISTRIBUTOR** ►

**TRANSFER OPTIONS**

**ONLINE SOURCE**

LOCATION [http://www.idahogeology.org/PDF/Maps\\_\(M\)/Surficial\\_Geologic\\_Maps\\_\(SGM\)/PDF/SGM-13-m.pdf](http://www.idahogeology.org/PDF/Maps_(M)/Surficial_Geologic_Maps_(SGM)/PDF/SGM-13-m.pdf)

[Hide Distributor ▲](#)

#### TRANSFER OPTIONS

##### ONLINE SOURCE

LOCATION [http://www.idahogeology.org/PDF/Maps\\_\(M\)/Surficial\\_Geologic\\_Maps\\_\(SGM\)/PDF/SGM-13-m.pdf](http://www.idahogeology.org/PDF/Maps_(M)/Surficial_Geologic_Maps_(SGM)/PDF/SGM-13-m.pdf)

[Hide Distribution ▲](#)

## Fields ►

#### OVERVIEW DESCRIPTION ►

##### ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)

[Hide Fields ▲](#)

## Metadata Details ►

METADATA CHARACTER SET **utf8 - 8 bit UCS Transfer Format**

SCOPE OF THE DATA DESCRIBED BY THE METADATA **dataset**

LAST UPDATE **2018-01-31**

#### ARCGIS METADATA PROPERTIES

METADATA FORMAT **ArcGIS 1.0**

METADATA STYLE **FGDC CSDGM Metadata**

STANDARD OR PROFILE USED TO EDIT METADATA **FGDC**

CREATED IN ARCGIS FOR THE ITEM **2018-01-30 16:55:06**

LAST MODIFIED IN ARCGIS FOR THE ITEM **2018-03-28 13:02:59**

#### AUTOMATIC UPDATES

HAVE BEEN PERFORMED **No**

#### ITEM LOCATION HISTORY

ITEM COPIED OR MOVED **2018-01-30 16:55:06**

FROM **W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Round\_3\genu\_surficial\_pGDB\_fielddelete.mdb**

To **\\igs-**

**rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\Surficial\Genesee\_UnionTown\_SGM-13\GIS\_NCGMP09\Genesee-SGM\_13\genu\_surficial\_pGDB\_fielddelete.mdb**

[Hide Metadata Details ▲](#)

## Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Idaho Geological Survey  
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

*Hide Contact information ▲*

*Hide Metadata Contacts ▲*

**Thumbnail and Enclosures ▶**

THUMBNAIL

THUMBNAIL TYPE JPG

*Hide Thumbnail and Enclosures ▲*

**FGDC Metadata (read-only) ▼**