


# Personal and File Geodatabase (GIS data) for the Geologic Map of the Grand View-Bruneau Area, Owyhee County, Idaho, 1993, Idaho Geological Survey Technical Report 93-2 (T-93-2)

ArcGIS Personal Geodatabase, File Geodatabase



## Tags

Geoscientific Information, Grand View Idaho, Bruneau Idaho, Owyhee County Idaho, geologic map, Idaho, geologic map GIS

## Summary

Digital geologic map data (GIS database) of the Geologic Map of the Grand View-Bruneau Area, Owyhee County, Idaho, 1993, Idaho Geological Survey Technical Report 93-2 (T-93-2)

## Description

These data were created from original field work or compiled from existing geologic map data all at a scale of 1:24,000. Data source is the IGS publication T-93-2. *Geologic Map of the Grand View-Bruneau Area, Owyhee County, Idaho, 1993*. This Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data. Feature classes included with dataset:

MapUnitCentroids--Map unit polygon annotations (Labels)

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary.

Faults--Geologic faults. Includes all faults; both dangler faults and contact-faults. Use the "type" field to classify or to link to the Glossary.

MapUnitPolygons--Geologic map units polygons. These are the main feature of this dataset.

Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

## Credits

Science data credit: Margaret D. Jenks, Bill Bonnicksen, Martha M. Godchaux

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Alan K. Schlerf, Vance T. MacKubbin, Steve Mulberry, Tim Funderberg, and Susan Wyman.

## Use limitations

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

## Extent

<b>West</b>	-116.25	<b>East</b>	-115.5
<b>North</b>	43	<b>South</b>	42.5

## Scale Range

<b>Maximum (zoomed in)</b>	1:50,000
<b>Minimum (zoomed out)</b>	1:500,000

## ArcGIS Metadata ►

### Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE geoscientificInformation

*Hide Topics and Keywords ▲*

### Citation ►

**TITLE** Personal and File Geodatabase (GIS data) for the Geologic Map of the Grand View-Bruneau Area, Owyhee County, Idaho, 1993, Idaho Geological Survey Technical Report 93-2 (T-93-2)  
**PUBLICATION DATE** 1992-06-08 00:00:00

*Hide Citation ▲*

### Citation Contacts ►

RESPONSIBLE PARTY

**ORGANIZATION'S NAME** Idaho Geological Survey

**CONTACT'S ROLE** originator

CONTACT INFORMATION ►

## PHONE

VOICE 208-885-7991

## ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Citation Contacts ▲](#)**Resource Details ►**

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

## CREDITS

Science data credit: Margaret D. Jenks, Bill Bonnicksen, Martha M. Godchaux

GIS credit: Loudon R. Stanford, William R. Schuster, Jane S. Freed, Alan K. Schlerf, Vance T. MacKubbin, Steve Mulberry, Tim Funderberg, and Susan Wyman.

## ARCGIS ITEM PROPERTIES

\* LOCATION file:///\\igs-rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09\GrandView-Bruneau\_T-93-2\GrandView-Bruneau\_T-93-2-IGS\_10-3-1 - Copy.mdb

\* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)**Extents ►**

## EXTENT

## GEOGRAPHIC EXTENT

## BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

WEST LONGITUDE -116.25

EAST LONGITUDE -115.5

NORTH LATITUDE 43

SOUTH LATITUDE 42.5

[Hide Extents ▲](#)**Resource Points of Contact ►**

## POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

## CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal  
 DELIVERY POINT 875 Perimeter Dr. MS 3014  
 CITY Moscow  
 ADMINISTRATIVE AREA ID  
 POSTAL CODE 83844-3014  
 COUNTRY US

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

## Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey  
 CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE  
 VOICE 208-885-7991

ADDRESS

TYPE postal  
 DELIVERY POINT 875 Perimeter Dr. MS 3014  
 CITY Moscow  
 ADMINISTRATIVE AREA ID  
 POSTAL CODE 83844-3014  
 COUNTRY US

[Hide Contact information ▲](#)

[Hide Resource Maintenance ▲](#)

## Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Resource Constraints ▲](#)

## Data Quality ►

SCOPE OF QUALITY INFORMATION ►  
 RESOURCE LEVEL **dataset**

*Hide Scope of quality information ▲*

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►  
 MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSourcees table in this data set via "DataSource\_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80(+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

### EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy. Use scale for each geologic data source to determine relative accuracy of line work. Use the DataSourceID linked to the DataSourcees Table to find scale.

*Hide Data quality report - Conceptual consistency ▲*

*Hide Data Quality ▲*

## Geoprocessing history ►

### PROCESS

#### PROCESS NAME

DATE 2017-03-27 12:07:42

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

#### COMMAND ISSUED

CreatePersonalGDB W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09\round5 /Snail\_Map\_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

### PROCESS

#### PROCESS NAME

DATE 2017-03-27 12:10:58

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

#### COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09\round5\MapUnitPolys.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09

\round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:09

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09

\round5/Contacts.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09\round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:12

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09 \round5/OrientationPoints.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09 \round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:21

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09

\round5/Faults.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09\round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:24

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09 \round5/GeologicPoints.SHP

W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09 \round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:27

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\Dikes.shp W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
 map\NCGMP09\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:31

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\GeologicLines.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:40

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\CartographicLines.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:11:53

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5/ContactsAndFaults.SHP  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:12:45

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
 Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
 map\NCGMP09\round5/attributes-GDB.mdb/C  
 W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
 \round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:12:49

**TOOL LOCATION** c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/CAF  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-03-27 12:12:52

**TOOL LOCATION** c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/CL  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-03-27 12:12:54

**TOOL LOCATION** c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/D  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-03-27 12:12:56

**TOOL LOCATION** c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/F  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**

**DATE** 2017-03-27 12:12:58

**TOOL LOCATION** c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

**COMMAND ISSUED**

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/GL  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

**INCLUDE IN LINEAGE WHEN EXPORTING METADATA** No

**PROCESS**

**PROCESS NAME**



DATE 2017-03-27 12:13:00

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5\attributes-GDB.mdb/GP  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:13:03

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5\attributes-GDB.mdb/MUP  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:13:05

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5\attributes-GDB.mdb/OP  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:13:06

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5\attributes-GDB.mdb/SOURCESFile  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-03-27 12:13:08

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5\attributes-GDB.mdb/XGLOSSARYNOTFOUND  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5\Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

## PROCESS NAME

DATE 2017-03-27 12:13:10

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion  
Tools.tbx\TableToGeodatabase

## COMMAND ISSUED

TableToGeodatabase W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\round5/attributes-GDB.mdb/XIGSsourceNOTFOUND  
W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

## PROCESS

## PROCESS NAME

DATE 2017-03-27 12:20:52

TOOL LOCATION c:\program files\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management  
Tools.tbx\Compact

## COMMAND ISSUED

Compact W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\round5/Snail\_Map\_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

*Hide Geoprocessing history ▲***Distribution ►**

## DISTRIBUTOR ►

## CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

## CONTACT INFORMATION ►

## PHONE

VOICE 208-885-7991

## ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

*Hide Contact information ▲**Hide Distributor ▲*

## DISTRIBUTION FORMAT

NAME ArcGIS Personal Geodatabase, File Geodatabase

## DISTRIBUTION FORMAT

NAME Shape files

*Hide Distribution ▲***Fields ►**

**OVERVIEW DESCRIPTION** ▶**ENTITY AND ATTRIBUTE OVERVIEW**

See DataDictionary table in this dataset for complete listing of fields and attributes

*Hide Overview Description* ▲

*Hide Fields* ▲

**Metadata Details** ▶

**METADATA CHARACTER SET** utf8 - 8 bit UCS Transfer Format

**SCOPE OF THE DATA DESCRIBED BY THE METADATA** dataset

**LAST UPDATE** 2017-06-06

**ARCGIS METADATA PROPERTIES**

**METADATA FORMAT** ArcGIS 1.0

**METADATA STYLE** FGDC CSDGM Metadata

**STANDARD OR PROFILE USED TO EDIT METADATA** FGDC

**CREATED IN ARCGIS FOR THE ITEM** 2017-06-06 09:54:32

**LAST MODIFIED IN ARCGIS FOR THE ITEM** 2017-06-06 10:39:03

**AUTOMATIC UPDATES**

**HAVE BEEN PERFORMED** No

**ITEM LOCATION HISTORY**

**ITEM COPIED OR MOVED** 2017-06-06 09:54:32

**FROM** W:\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-map\NCGMP09  
\GrandView-Bruneau\_T-93-2\GrandView-Bruneau\_T-93-2-IGS\_10-3-1.mdb

**TO** \\igs-rift\shared\DATABASE\_MAPS\GEOLOGY\_tile\_project\30X60\_minute\Snail-  
map\NCGMP09\GrandView-Bruneau\_T-93-2\GrandView-Bruneau\_T-93-2-IGS\_10-3-1 -  
Copy.mdb

*Hide Metadata Details* ▲

**Metadata Contacts** ▶**METADATA CONTACT**

**ORGANIZATION'S NAME** Idaho Geological Survey

**CONTACT'S ROLE** originator

**CONTACT INFORMATION** ▶**PHONE**

**VOICE** 208-885-7991

**ADDRESS**

**TYPE** postal

**DELIVERY POINT** 875 Perimeter Dr. MS 3014

**CITY** Moscow

**ADMINISTRATIVE AREA** ID

**POSTAL CODE** 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Metadata Contacts ▲](#)

## Metadata Maintenance ►

### MAINTENANCE

UPDATE FREQUENCY as needed

### MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

### CONTACT INFORMATION ►

#### PHONE

VOICE 208-885-7991

#### ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Metadata Maintenance ▲](#)

## Metadata Constraints ►

### CONSTRAINTS

#### LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. These data were compiled from 1:24,000 geologic mapping and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale.

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

[Hide Metadata Constraints ▲](#)

## FGDC Metadata (read-only) ►

### Entities and Attributes ►

#### OVERVIEW DESCRIPTION

ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

*Hide Entities and Attributes ▲*