


Personal and File Geodatabase (GIS data) for the Reconnaissance Geologic Map of the Shoup and Horse Creek Area, Lemhi and Idaho Counties, Idaho, 1994, Idaho Geological Survey Technical Report 94-3 (T-94-3)

ArcGIS Personal Geodatabase



Tags

Geoscientific Information, Lemhi County Idaho, Idaho County Idaho, geologic map, Idaho, geologic map GIS

Summary

Digital geologic map data (GIS database) of the Reconnaissance Geologic Map of the Shoup and Horse Creek Area, Lemhi and Idaho Counties, Idaho, 1994, Idaho Geological Survey Technical Report 94-3 (T-94-3)

Description

Original geologic field work for this map product was carried out at 1:24,000 and then compiled at 1:50,000. Therefore, data scale is 1:50,000. Data source is the IGS publication T-94-3, *Reconnaissance Geologic Map of the Shoup and Horse Creek Area, Lemhi and Idaho Counties, Idaho, 1994*, Idaho Geological Survey Technical Report 94-3 (T-94-3). This Personal Geodatabase (and File Geodatabase) is approximately compliant with the draft standard for publication of digital geologic maps (NCGMP09). All Feature Classes can be linked to the DataSources table via DataSourcesID field/attribute to determine the geologic source for the data.

Feature classes included with dataset:

MapUnitCentroids--Map unit polygon annotations (Labels)

CartographicLines--Line decorations for various polyline feature classes, e.g., tics for landslide scarps

Contacts--Geologic map unit boundaries. Contacts only, no dangler faults. Used to build map unit polygons

ContactsAndFaults--Geologic map unit boundaries and ALL faults included. This includes dangler fault lines. Use the "type" field to classify or to link to the Glossary table.

Faults--Geologic faults. Includes all faults; both dangler faults and contact-faults. Use the "type" field to classify or to link to the Glossary table.

Dikes--Geologic dikes (lines too small to map as polygons). Use the MapUnit field to classify or to link to the DescriptionOfMapUnits table.

Geologic Points--Geologic Point features showing located geologic (point) objects, e.g., fault breccia, non-oriented structure symbols. Use the "Type" field to classify by type and to link to Glossary table if desired.

Orientations Points--Orientation Point data. For example, strike and dip and foliations measurements. Use the "type" field to classify or to link to the Glossary table.

GeologicLines--Polylines depicting geologic mapped features, e.g., landslide headwall scarps, terrace scarps, or avalanche trace.

MapUnitPolys--Geologic map units polygons. These are the main feature of this dataset. Descriptions for these units can be found in the DescriptionOfMapUnits feature class/table.

SilicifiedAreasOverLayPolys--Polygons showing silicified-brecciated zones.

MyloniteAreasOverLayPolys--Polygons showing areas of mylonitized rock.

Non Spatial data tables:

Note: Look in folder "\Shoup_T-94-3-IGS_ShapeFiles \Non-SpatialTables" for non-Microsoft versions of these tables. Two types:

dBase III, and .csv(comma delimited text).

DescriptionOfMapUnits--Table with map unit descriptions. Use MapUnit field to link to MapUnitPolygons or Dikes (.CSV format only).

Glossary--Look up table with explanations for geologic features found in all spatial classes. For example, moraine_crest: Definition--glacial moraine ridge crest. Features in feature classes can be linked to Glossary via "Type" in feature class to "IGSGeoType" in Glossary.

DataSources--Sources of geologic mapping. Link via DataSourceID in feature class to DataSources_ID in Sources.

DataDictionary—Listing and information about fields in most Feature Classes and tables

Credits

Science data credit: Keegan L. Schmidt, Reed S. Lewis, Russell F. Burmester, Rebecca A. Lang

GIS credit: Loudon R. Stanford, William R. Schuster, and Susan A. Wyman

Use limitations

Geologic map data intended for non-site-specific use. Data scale for this dataset is 1:50,000 and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

Extent

West -114.45 **East** -114.25
North 45.55 **South** 45.29

Scale Range

Maximum (zoomed in) 1:50,000
Minimum (zoomed out) 1:500,000

ArcGIS Metadata ►

Citation ►

TITLE Personal and File Geodatabase (GIS data) for the Reconnaissance Geologic Map of the Shoup and Horse Creek Area, Lemhi and Idaho Counties, Idaho, 1994, Idaho Geological Survey Technical Report 94-3 (T-94-3)
PUBLICATION DATE 1994-07-01 00:00:00

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE
VOICE 208-885-7991

ADDRESS

TYPE postal
DELIVERY POINT 875 Perimeter Dr. MS 3014
CITY Moscow
ADMINISTRATIVE AREA ID
POSTAL CODE 83844-3014
COUNTRY US

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

Resource Details ▶

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

CREDITS

Science data credit: Keegan L. Schmidt, Reed S. Lewis, Russell F. Burmester, Rebecca A. Lang

GIS credit: Loudon R. Stanford, William R. Schuster, and Susan A. Wyman

ARCGIS ITEM PROPERTIES

* LOCATION file:///\\igs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Shoup_T-94-3-IGS\Shoup_T-94-3-IGS - Copy.mdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details](#) ▲**Extents** ▶

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

WEST LONGITUDE -114.45

EAST LONGITUDE -114.25

NORTH LATITUDE 45.55

SOUTH LATITUDE 45.29

EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents](#) ▲**Resource Points of Contact** ▶

POINT OF CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information](#) ▲[Hide Resource Points of Contact](#) ▲**Resource Maintenance** ▶

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. Data scale for this dataset is 1:50,000 and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

See access and use constraint information

[Hide Resource Constraints ▲](#)

Data Quality ►

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►

MEASURE DESCRIPTION

Horizontal accuracy is difficult to quantify in geologic mapping of this type. User should use original map scale (linked to DataSources table in this data set via "DataSource_ID" to determine relative accuracy of groups of map objects in the data set. ---EXAMPLE OF DETERMINING H ACCURACY: 1:24k map objects in the data set have a placement h-accuracy => 80 (+/-) feet (.04 inch x 2000 ft/inch @1:24,000) for a CERTAIN line type. Accuracy is proportionally less for smaller scales and even less for other line types (see "AuthorConfidence" field in each data layer/feature class). Map data used in compilation was visually compared to original for horizontal accuracy.

EVALUATION TYPE direct internal

EVALUATION METHOD

Geologic map data are visually checked against original map data for completeness. Accuracy is determined by at least two factors: quality of capture (digitizing) consistency and the quality of the original geology. The quality of the original geology is by far the most important for determining the quality of attribute accuracy. Use scale for each geologic data source to determine relative accuracy of line work. Use the DataSourceID linked to the DataSources Table to find scale.

[Hide Data quality report - Conceptual consistency ▲](#)[Hide Data Quality ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CreatePersonalGDB

COMMAND ISSUED

CreatePersonalGDB W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3 /shoup_geol_pGDB CURRENT

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:47

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/MapUnitPolys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/Contacts.shp W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/OrientationPoints.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/Faults.shp W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:05:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/GeologicPoints.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:02

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/Dikes.shp W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/GeologicLines.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/CartographicLines.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

```
FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/ContactsAndFaults.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
\Round_3/shoup_geol_pGDB.mdb
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\mylonite_MapUnitPolys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\mylonite_Bdys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\silicified_MapUnitPolys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToGeodatabase

COMMAND ISSUED

FeatureClassToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\silicified_Bdys.SHP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09
 \Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\attributes-
 GDB.mdb/C W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\attributes-
 GDB.mdb/CAF W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\attributes-
 GDB.mdb/CL W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\attributes-
 GDB.mdb/D W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3\shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/F W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/GL W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/GP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/MUP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/OP W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/OverlayUnitContacts_mylonite W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/OverlayUnitContacts_silicified W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:06:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/OverlayUnitPolygons_mylonite W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:07:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/OverlayUnitPolygons_silicified W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:07:02

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/SOURCESFile W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:07:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/XGLOSSARYNOTFOUND W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:07:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Conversion Tools.tbx\TableToGeodatabase

COMMAND ISSUED

TableToGeodatabase W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/attributes-GDB.mdb/XIGSSourceNOTFOUND W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2017-07-11 13:10:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\Compact

COMMAND ISSUED

Compact W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Round_3/shoup_geol_pGDB.mdb

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

Hide Contact information ▲

Hide Distributor ▲

DISTRIBUTION FORMAT

NAME ArcGIS Personal Geodatabase

DISTRIBUTION FORMAT

NAME Shape Files

TRANSFER OPTIONS

UNITS OF DISTRIBUTION Reconnaissance Geologic Map of the Shoup and Horse Creek Area, Lemhi and Idaho Counties, Idaho

ONLINE SOURCE

LOCATION [http://www.idahogeology.org/Products/reverselook.asp?](http://www.idahogeology.org/Products/reverselook.asp?switch=title&value=Reconnaissance_Geologic_Map_of_the_Shoup_and_Horse_Creek_Area,_Lemhi_and_Idaho_Counties,_Idaho)

switch=title&value=Reconnaissance_Geologic_Map_of_the_Shoup_and_Horse_Creek_Area,_Lemhi_and_Idaho_Counties,_Idaho

[Hide Distribution ▲](#)**Fields ►**

OVERVIEW DESCRIPTION ►

ENTITY AND ATTRIBUTE OVERVIEW

See DataDictionary table in this dataset for complete listing of fields and attributes

[Hide Overview Description ▲](#)[Hide Fields ▲](#)**Metadata Details ►**

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

LAST UPDATE 2017-07-26

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE FGDC CSDGM Metadata

STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2017-07-26 10:32:24

LAST MODIFIED IN ARCGIS FOR THE ITEM 2017-07-26 15:39:50

AUTOMATIC UPDATES

HAVE BEEN PERFORMED No

ITEM LOCATION HISTORY

ITEM COPIED OR MOVED 2017-07-26 10:32:24

FROM W:\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Shoup_T-94-3-IGS\Shoup_T-94-3-IGS.mdb

TO \\jgs-rift\shared\DATABASE_MAPS\GEOLOGY_tile_project\MiscGeology\Shoup\GIS_NCGMP09\Shoup_T-94-3-IGS\Shoup_T-94-3-IGS - Copy.mdb

[Hide Metadata Details ▲](#)**Metadata Contacts ►**

METADATA CONTACT

ORGANIZATION'S NAME Idaho Geological Survey

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)[Hide Metadata Contacts ▲](#)**Metadata Maintenance ►**

MAINTENANCE

UPDATE FREQUENCY as needed

MAINTENANCE CONTACT

ORGANIZATION'S NAME Idaho Geological Survey
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 208-885-7991

ADDRESS

TYPE postal

DELIVERY POINT 875 Perimeter Dr. MS 3014

CITY Moscow

ADMINISTRATIVE AREA ID

POSTAL CODE 83844-3014

COUNTRY US

[Hide Contact information ▲](#)

[Hide Metadata Maintenance ▲](#)

Metadata Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Geologic map data intended for non-site-specific use. Data scale for this dataset is 1:50,000 and should not be used at larger scales, e.g., 1:12,000. Use the DataSources table and the DataSourceID in each Feature Class (but especially the ContactsAndFaults FeatureClass/Layer) to determine original intended scale. .

The Idaho Geological Survey does not guarantee this map or digital data to be free of errors nor assume liability for interpretations made from this map or digital data, or decisions based thereon.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

See access and use constraint information

[Hide Metadata Constraints ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼